

FIG. 1 (Prior Art)






FIG. 2 (Prior Art)




FIG. 3

 \perp

```
___ 400
```

```
401
        <?xml version="1.0" encoding="UTF-8"?>
402
        <!DOCTYPE xsd:schema SYSTEM "Schema.dtd">
403
        <xsd:schema
404
        targetNamespace="http://www.fulldegree.com/Schema/Section/Container/Tent.
        xsd" xmlns:bullets="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
405
406
        xmlns:incl="http://www.fulldegree.com/Schema/System/Incl.xsd"
407
        xmlns:spec="http://www.fulldegree.com/Schema/Lib/Specifications.xsd"
408
        xmlns:fd="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
409
        xmlns="http://www.fulldegree.com/Schema/Section/Container/Tent.xsd"
410
        xmlns:xsd="http://www.w3.org/2000/10/XMLSchema"
411
        elementFormDefault="qualified">
412
           <xsd:import namespace="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"</pre>
413
        schemaLocation="Bullets.xsd"/>
414
          <xsd:import
415
        namespace="http://www.fulldegree.com/Schema/Lib/Specifications.xsd"
416
        schemaLocation="Specifications.xsd"/>
417
           <xsd:import
418
        namespace="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
419
        schemaLocation="FullDegree.xsd"/>
420
           <xsd:import
421
        namespace="http://www.fulldegree.com/Schema/System/Incl.xsd"
        schemaLocation="InfoAttr.xsd"/>
422
423
          <xsd:element name="Container" nullable="true">
424
             <xsd:complexType>
425
               <xsd:sequence minOccurs="0">
426
                  <xsd:element ref="bullets:BulletPoints"/>
427
                  <xsd:element ref="Specifications"/>
428
               </xsd:sequence>
429
               <xsd:attribute ref="fd:Name" use="required"/>
430
               <xsd:attribute ref="fd:NodeName" use="default" value="Tent"/>
431
               <xsd:attribute ref="fd:Version" use="optional"/>
432
               <xsd:attribute ref="fd:Language" use="optional"/>
433
               <xsd:attribute ref="fd:NS" use="optional"/>
434
               <xsd:attribute ref="fd:Path" use="required"/>
435
             </xsd:complexType>
436
          </xsd:element>
```

(File: Tent.xsd)

```
400
```

```
437
                 <xsd:element name="Specifications">
      438
                   <xsd:complexType>
       439
                      <xsd:sequence>
       440
                        <xsd:element ref="Appearance" minOccurs="0"/>
       441
                        <xsd:element ref="spec:Materials" minOccurs="0"/>
       442
                      </xsd:sequence>
       443
                      <xsd:attribute ref="fd:NodeName" use="optional"/>
       444
                   </xsd:complexType>
       445
                 </xsd:element>
       446
                 <xsd:element name="Appearance">
       447
                   <xsd:complexType>
       448
                      <xsd:sequence>
       449
                        <xsd:element ref="Measurements"/>
450
                        <xsd:element ref="spec:Colors" minOccurs="0"</pre>
      451
               maxOccurs="unbounded"/>
       452
                        <!--xsd:element name="Sizes" minOccurs="0"
       453
               maxOccurs="unbounded"/-->
       454
                      </xsd:sequence>
Į,
       456
                    </xsd:complexType>
'n,
       457
                 </xsd:element>
       458
                 <xsd:element name="Measurements">
459
                   <xsd:complexType>
      460
                      <xsd:sequence>
      461
                        <xsd:element ref="Capacity"/>
       462
                      </xsd:sequence>
       463
                      <xsd:attribute ref="fd:NodeName" use="optional"/>
       464
                   </xsd:complexType>
       465
                 </xsd:element>
       466
                 <xsd:element name="Capacity">
       467
                   <xsd:complexType>
       468
                      <xsd:simpleContent>
       469
                        <xsd:restriction base="xsd:int">
       470
                           <xsd:minInclusive value="0"/>
       471
                           <xsd:attribute ref="fd:NodeName" use="required"/>
       472
                        </xsd:restriction>
       473
                      </xsd:simpleContent>
       474
                   </xsd:complexType>
       475
                 </xsd:element>
       476
               </xsd:schema>
```

(File: Tent.xsd)

FIG. 4B

```
501
        <?xml version="1.0" encoding="UTF-8"?>
502
        <!DOCTYPE xsd:schema SYSTEM "Schema.dtd">
503
        <xsd:schema
504
        targetNamespace="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
505
       xmlns:fd="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
506
        xmlns="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
507
       xmlns:xsd="http://www.w3.org/2000/10/XMLSchema"
508
        elementFormDefault="qualified">
509
          <xsd:import
510
        namespace="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
511
        schemaLocation="FullDegree.xsd"/>
512
          <xsd:element name="BulletPoints">
513
            <xsd:complexType>
514
               <xsd:sequence>
515
                 <xsd:element ref="Collect" maxOccurs="unbounded"/>
516
               </xsd:sequence>
517
               <xsd:attribute ref="fd:NodeName" use="required"/>
518
            </xsd:complexType>
519
          </xsd:element>
          <xsd:element name="Collect">
520
521
            <xsd:complexType>
522
               <xsd:sequence>
523
                 <xsd:element ref="BulletPoint" maxOccurs="unbounded"/>
524
               </xsd:sequence>
525
               <xsd:attribute ref="fd:NodeName" use="optional"/>
526
            </xsd:complexType>
527
          </xsd:element>
528
          <xsd:element name="BulletPoint">
            <xsd:complexType>
529
530
               <xsd:sequence>
531
                 <xsd:element ref="Text"/>
532
               </xsd:sequence>
533
               <xsd:attribute ref="fd:NodeName" use="optional"/>
534
               <xsd:attribute ref="fd:Priority" use="optional" value="1"/>
535
            </xsd:complexTvpe>
536
          </xsd:element>
```

(File: Bullets.xsd)

```
537
          <xsd:element name="Emphasis">
538
            <xsd:complexType>
539
               <xsd:simpleContent>
                 <xsd:extension base="xsd:string">
540
                   <xsd:attribute ref="fd:NodeName" use="default" value="Bold"/>
541
542
                 </xsd:extension>
543
               </xsd:simpleContent>
544
            </xsd:complexType>
545
          </xsd:element>
546
          <xsd:element name="Regular">
547
            <xsd:complexType>
548
               <xsd:simpleContent>
                 <xsd:extension base="xsd:string">
549
550
                   <xsd:attribute ref="fd:NodeName" use="optional"/>
551
                 </xsd:extension>
552
               </xsd:simpleContent>
553
            </xsd:complexType>
554
          </xsd:element>
556
          <xsd:element name="Text">
557
            <xsd:complexType>
558
               <xsd:choice>
559
                 <xsd:sequence>
560
                   <xsd:element ref="Emphasis" minOccurs="0"/>
561
                   <xsd:element ref="Regular"/>
562
                 </xsd:sequence>
563
                 <xsd:element name="Reference" nullable="true">
                   <xsd:complexType>
564
565
                      <xsd:attribute ref="fd:Path" use="required"/>
566
                   </xsd:complexType>
567
                 </xsd:element>
568
               </xsd:choice>
569
               <xsd:attribute ref="fd:NodeName" use="optional"/>
570
            </xsd:complexType>
571
          </xsd:element>
572
        </xsd:schema>
```

(File: Bullets.xsd)

633

```
601
        <?xml version="1.0" encoding="UTF-8" ?>
602
        <!-- Generated by brian@fulldegree.com on Jun 19, 2001 10am -->
603
        <Container fd:NS="http://www.thenorthface.com"</pre>
604
            fd:Path="/TNF/Instance/Section/Categories/Tents/Expedition"
605
            fd:Version="1.0" fd:Language="English" fd:Name="VE-25"
606
            fd:NodeName="VE-25" xsi:noNamespaceSchemaLocation="Tent.xsd"
607
            xmlns:xsi="http://www.w3.org/2000/10/XMLSchema-instance"
608
            xmlns:fd="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
609
            xmlns:bullets="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
610
            xmlns:incl="http://www.fulldegree.com/Schema/System/Incl.xsd"
611
            xmlns:spec="http://www.fulldegree.com/Schema/Lib/Specifications.xsd"
612
            xmlns:bean="http://www.fulldegree.com/Schema/Lib/InfoBean.xsd"
613
            xmlns="http://www.fulldegree.com/Schema/Section/Container/Tent,xsd">
614
            <bul><bullets:BulletPoints fd:NodeName="Key Features">
615
            <bullets:Collect fd:NodeName="VE-25 Features">
616
              <bul><bullets:BulletPoint>
617
                 <bul>bullets:Text>
618
                   <bullets:Emphasis>Polyester ripstop fly sheet</bullets:Emphasis>
619
                   <bullets:Regular>is UV resistant and low absorbent plus seam-
620
                       taped and polyurethane-coated for
621
                       waterproofness</bullets:Regular>
622
                 </bullets:Text>
               </bullets:BulletPoint>
623
624
              <bul><br/><bullets:BulletPoint>
625
                <bul><bul>bullets:Text>
626
                   <bul><bullets:Emphasis>Nylon ripstop canopy</bullets:Emphasis>
627
                   628
                       and partial translucence for long-term user
629
                       satisfaction</bullets:Regular>
630
                 </bullets:Text>
631
               </bullets:BulletPoint>
632
             </bullets:Collect>
```

(File: VE-25.xml)

</bullets:BulletPoints>

```
634
          <Specifications>
635
            <Appearance>
636
              <Measurements>
                 <Capacity fd:NodeName="Capacity">3</Capacity>
637
               </Measurements>
638
639
              <spec:Colors>
                <spec:Color>
640
                   <spec:Component>Tent/spec:Component>
641
                   <bean:Color xsi:null="true" fd:NodeName="Gold/Black"</pre>
642
                      fd:Section="true" fd:Link="SoftLink" fd:Name="722"
643
644
                      fd:Path="/TNF/Instance/Section/ColorBeans" />
645
                 </spec:Color>
646
              </spec:Colors>
647
             </Appearance>
648
          </Specifications>
649
        </Container>
```

(File: VE-25.xml)

+




FIG. 7A

+




FIG. 7B

+

```
800
```

```
801
        <?xml version="1.0" encoding="UTF-8" ?>
802
        <DisplaySpecD xmlns:xsi="http://www.w3.org/2000/10/XMLSchema-instance"</p>
803
            xmlns="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
            displayNamespace="http://www.fulldegree.com/Schema/Section/Containe
804
805
            r/Tent.xsd" xsi:noNamespaceSchemaLocation="../System/FullDegree.xsd"
806
            xmlns:tent="http://www.fulldegree.com/Schema/Section/Container/Tent.xs
807
            d" xmlns:incl="http://www.fulldegree.com/Schema/System/Incl.xsd"
808
            xmlns:any="http://www.fulldegree.com/Schema/Reserved/ReservedAnv.xs"
809
            d" xmlns:fd="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
810
            Type="default" fd:Name="TentD"
811
            fd:Path="/FullDegree/Section/Container">
812
          <ElementD Name="any:Container" Edit="true"
              displayNamespace="http://www.fulldegree.com/Schema/Section/Contai
813
814
              ner/Tent.xsd">
815
              <Pre><Pre>resenter Name="Container"
816
                 ObjectName="com.fulldegree.display.presenters.TabbedTreePresent
817
                 er" />
818
            <Actions>
819
              <a href="calcalage: color: white;"><Action Name="onLink" Return="DataTuple" Enabled="true"</a>
820
                   ShowInGroupPanel="false">
821
                 <Parameter Name="Link" Source="(Presenter)Active.Selected[0]" />
822
                 <Operation
823
                     ObjectName="com.fulldegree.ejbs.actions.repository.FDReposito
824
                     ryAction" Method="retrieveClientData" Return="DataTuple">
825
                    <Argument Name="Link" />
826
                 </Operation>
827
                </Action>
828
             </Actions>
829
            </ElementD>
830
           <ElementD Name="incl:Float" Hide="true" />
831
           <ElementD Name="tent:Capacity">
832
              <Editor Width="small" />
833
           </ElementD>
834
           <IncludeD
835
              displayNamespace="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
836
              />
837
         </DisplaySpecD>
```

(File: TentD.xml)

13/18

900

```
901
        <?xml version="1.0" encoding="UTF-8" ?>
902
        <DisplaySpecD xmlns:xsi="http://www.w3.org/2000/10/XMLSchema-</p>
903
            instance"
904
            xmlns="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
            displayNamespace="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
905
            xsi:noNamespaceSchemaLocation="../System/FullDegree.xsd"
906
907
            xmlns:fd="http://www.fulldegree.com/Schema/System/FullDegree.xsd"
908
            xmlns:bullets="http://www.fulldegree.com/Schema/Lib/Bullets.xsd"
            Type="default" fd:Name="BulletsD" fd:Path="/FullDegree/Lib">
909
910
           <ElementD Name="bullets:Regular">
             <Editor Name="multiLineWidget" Height="medium" Width="large" />
911
912
           </ElementD>
           <ElementD Name="bullets:Text" />
913
914
           <ElementD Name="bullets:Emphasis" FontStyle="Bold">
915
             <Editor Width="large" />
916
           </ElementD>
917
         </DisplaySpecD>
```

(File: BulletsD.xml)




FIG. 10

15/18




FIG. 11





FIG. 12






FIG. 15




FIG. 16




FIG. 17

